

IL-8/ CXCL8 (C-6His), Human, Recombinant

货号:PCK205

产品信息

- 别名
 Interleukin-8; IL-8; C-X-C Motif Chemokine 8; CXCL8; Emoctakin; Granulocyte Chemotactic Protein 1; GCP-1; Monocyte-Derived Neutrophil Chemotactic Factor; MDNCF; Monocyte-Derived Neutrophil-Activating Peptide; MONAP; Neutrophil-Activating Protein 1
 物种
 Human
 表达宿主
- 序列信息 Glu21-Ser99
- 检索号 P10145
- 分子量 10.1 kDa
- 标签 C-6His

产品特性

- 纯度 >95% as determined by reducing SDS-PAGE.
- 内毒素 & < 1.0 EU per µg as determined by LAL test.
- 保存 Lyophilized protein should be stored at -5~-20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at -5~-20°C for 3 months.
- 运输 Ambient temperature or ice pack.
- 制剂 Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.4.





复融

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than $100 \mu g/ml$. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

背景介绍

Interleukin-8 (IL-8) belongs to the neutrophil-specific CXC family of Chemokines. It is one of the initial Cytokines released from a variety of cell types, including T cells, endothelial cells and fibroblasts, in response to an inflammatory stimulus and acts by recruiting neutrophils, T-cells and basophils to the site of inflammation. Elevated Interleukin-8 levels are associated with the onset of a variety of disease states.

SDS-PAGE



